


PRODUCTS & SERVICES CAPABILITIES STATEMENT





SAMIfilla HM uses elastomeric polymers which produce a strong yet flexible seal that bonds well to the walls of the crack.

This process is the key to keeping water out of the pavement sub-base which in turn will help to extend the service life period of the pavement.

Features:

- Excellent ductility in cold temperatures
- Superior tensile strength supports heavy traffic loading
- Applied under pressure to fill and seal cracks
- Excellent seal integrity yielding longer service life

Benefits:

- Delays and minimizes reflective cracking
- Low stiffness, highly elastic and good memory
- Extends overall pavement service life
- One of the most economical pavement repair process
- Consistent quality application with high production

Applications:

- Highways
- Streets and Roadways
- Race Tracks
- Airport Runways and Taxiways
- Car Parks
- Asphalt and Concrete Pavements

Common uses:

- Random cracking
- Transverse cracking
- Longitudinal cracking
- · Reflective cracking
- Concrete construction joints



Crack sealing pavement maintenance at Parliament House



COLAS Products and Services Capabilities







COLAS Australia Group Pty Itd

3-5 Gibbon Road Winston Hills NSW 2153 +61 2 9624 0100 +61 1300 0 COLAS (26527) info@colas.com.au

www.colas.com.au